

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/913,453	08/14/2001	Graeme John Proudler	B-4276PCT 619003-1	9595
22879	7590 12/13/2005		EXAMINER	
	PACKARD COMPAN	PHAN, TRI H		
P O BOX 272400, 3404 E. HARMONY ROAD INTELLECTUAL PROPERTY ADMINISTRATION			ART UNIT	PAPER NUMBER
	INS, CO 80527-2400	*************	2661	
			DATE MAILED: 12/13/2005	5

Please find below and/or attached an Office communication concerning this application or proceeding.

			N
	Application No.	Applicant(s)	1
	09/913,453	PROUDLER ET AL.	
Office Action Summary	Examiner	Art Unit	
	Tri H. Phan	2661	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	ith the correspondence address -	••
A SHORTENED STATUTORY PERIOD FOR RE WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st Any reply received by the Office later than three months after the mearned patent term adjustment. See 37 CFR 1.704(b).	B DATE OF THIS COMMUNION R 1.136(a). In no event, however, may a representation of the community of the comm	CATION. reply be timely filed ITHS from the mailing date of this communication BANDONED (35 U.S.C. § 133).	·
Status			
1) Responsive to communication(s) filed on 2	7 September 2005.		
	This action is non-final.		
3) Since this application is in condition for allo	•	·	s is
closed in accordance with the practice unde	er <i>Ex parte Quayle</i> , 1935 C.D	o. 11, 453 O.G. 213.	
Disposition of Claims			
4)⊠ Claim(s) <u>1-30</u> is/are pending in the applicat	ion.		
4a) Of the above claim(s) is/are with	drawn from consideration.		
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-30</u> is/are rejected.			
7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction an	d/or election requirement		
	aron olootion roquilomont.		
Application Papers			
9) The specification is objected to by the Exam			
10) The drawing(s) filed on is/are: a) a	• •	•	
Applicant may not request that any objection to Replacement drawing sheet(s) including the cor		· ·	4 (-1)
11) The oath or declaration is objected to by the	•	· ·	` '
·			•
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fore	ign priority under 35 U.S.C. §	119(a)-(d) or (f).	
a) All b) Some * c) None of:	anta hawa hasa sasabisad		
1. Certified copies of the priority docum2. Certified copies of the priority docum		nnlication No	
3. Copies of the certified copies of the p		· · · · · · · · · · · · · · · · · · ·	
application from the International Bur		received in this Hational Stage	
* See the attached detailed Office action for a	• • • • • • • • • • • • • • • • • • • •	received.	
	·		
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 		ummary (PTO-413))/Mail Date	
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/	(08) 5) 🔲 Notice of Ir	formal Patent Application (PTO-152)	
Paper No(s)/Mail Date	6)		

DETAILED ACTION

Response to Amendment

1. This Office Action is in response to the Amendment filed on September 27th, 2005. Claims 1-30 are now pending in the application.

Drawings

2. The corrected or substitute drawings were received on September 27th, 2005. These drawings are acceptable by the Examiner.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 4. Claims 1-3, 5-6, 13, 18, 21-23 and 25-26 are rejected under 35 U.S.C. 102(b) as being anticipated by **Boebert et al.** (U.S.5,822,435; hereinafter refer as 'Boebert').
- In regard to claims 1 and 21, **Boebert** discloses in Figs. 1-6 and in the respective portions of the specification about *the computing apparatus* (For example see Fig. 2; Abstract; col. 3, lines 20-40; col. 4, lines 33-39), which comprises the trusted hardware module ("trusted path subsystem"; For example see Figs. 2-4; col. 4, lines 33-39) resistant to unauthorized

modification (For example see col. 2, lines 27-38), a plurality of further hardware modules ("workstation processing unit, display with video manager, keyboard with keyboard manager"; For example see Figs. 1-4), the shared communication infrastructure ("paths 44, 46" which connect the workstation processing unit to the display/video manager, keyboard/keyboard manager and to the multilevel secure computer through the network 50) by which the hardware modules can communicate with each other (For example see Figs. 1-4; col. 2, lines 1-4; wherein the workstation processing unit communicates directly with the display/video manager, keyboard/keyboard manager) and the first communication path distinct from the shared communication infrastructure ("separate data path" or "auxiliary data path"; For example see Figs. 3-4; col. 4, lines 33-39), by which the first one of the further hardware modules can communicate directly with the trusted hardware module but cannot communicate directly with any other of the further hardware modules (For example see Figs. 3-4; col. 4, lines 33-50; wherein the workstation processing unit communicates with display/video manager, keyboard/keyboard manager through the trusted path subsystem).

- Regarding claims 2 and 22, in addition to features in base claims 1 and 21 (see rationales pertaining the rejection of base claims 1 and 21 discussed above), **Boebert** further discloses wherein the trusted hardware module ("trusted path subsystem") and the first further hardware module ("workstation processing unit") each include a respective computing engine ("processor"; For example see Figs 3-4; wherein it is inherent that the workstation processing unit has its own processor for processing the application for the workstation unit) which partakes in the direct communication via the first communication path.

Art Unit: 2661

- In regard to claims 3 and 23, in addition to features in base claims 1 and 21 (see rationales pertaining the rejection of base claims 1 and 21 discussed above), Boebert further discloses wherein the first further hardware module is operable to supply to the trusted hardware module the request for operation on data ("trusted path mode"; For example see col. 5, lines 17-32; wherein the workstation invokes trusted path mode through different number of ways as disclosed in col. 5, line 66 through col. 6, line 10; e.g. 'request for operation on data') and in response to such a request, the trusted hardware module is operable to generate a response ("feedback mechanism"; For example see col. 6, lines 8-10) and to supply the response to the first further hardware module via the first communication path and not via the shared communication infrastructure (For example see Figs. 3-4; col. 5, lines 27-32).

Page 4

- Regarding claims 5-6 and 25-26, in addition to features in base claims 1 and 21 (see rationales pertaining the rejection of base claims 1 and 21 discussed above), Boebert further discloses wherein the trusted hardware module is operable to generate an encryption and/or decryption key ("pair-wise key" or "public key") and supply that key to the first further hardware module via the first communication path and not via the shared communication infrastructure (For example see col.5, lines 52-65); and wherein the first further hardware module is operable to use the key for encryption and/or decryption of data communicated via the shared communication infrastructure (For example see col. 4, line 51 through col. 5, line 2).

Art Unit: 2661

- In regard to claims 13 and 18, in addition to features in base claims 1 and 21 (see rationales pertaining the rejection of base claims 1 and 21 discussed above), **Boebert** further discloses about the second and third communication paths, distinct from the shared communication infrastructure and the first communication path, by which the second one of the further hardware modules can communicate directly with the trusted hardware module but cannot communicate directly with any other of the further hardware modules ("second and third communication paths"; For example see Figs. 3-4; wherein the display and keyboard connect to the video and keyboard managers, and then connect to the multi-level secure computer via network interface 39 and network 50).

Page 5

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 4, 7-12, 14-17, 19-20, 24 and 27-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Boebert et al.** (U.S.5,822,435; hereinafter refer as 'Boebert').
- In regard to claims 4 and 24, **Boebert** discloses all the subject matter of the claimed invention as discussed above about *the computing apparatus* (For example see Fig. 2), *which* comprises the trusted hardware module ("trusted path subsystem"; For example see Figs. 2-4)

resistant to unauthorized modification, a plurality of further hardware modules ("workstation processing unit, display with video manager, keyboard with keyboard manager"; For example see Figs. 1-4), the shared communication infrastructure ("paths 44, 46") by which the hardware modules can communicate with each other and the first communication path distinct from the shared communication infrastructure ("separate data path" or "auxiliary data path"), by which the first one of the further hardware modules can communicate directly with the trusted hardware module but cannot communicate directly with any other of the further hardware modules (For example see Figs. 3-4); including the storage device ('means for storing') and the capable of recognizing classified information of varying sensitivity and different levels of users access of the multi-level secure computer (For example see Figs. 1-2; col. 1, lines 20-27; col. 2, lines 15-25; col. 7, lines 27-44). Though, **Boebert** does not explicitly disclose about "policy information"; however, in order to recognizing classified information of varying sensitivity and different levels of users access, the multi-level secure 'MLS' computer (see Figs. 1-2) has to store information about different levels to access to the secure subsystem, e.g. "policy information", to provide the access right to users.

- Regarding claims 7-8, 20, 27-28 and 30, in addition to features in base claims 1 and 21 (see rationales pertaining the rejection of base claims 1 and 21 discussed above), Boebert further discloses wherein the trusted hardware module is operable to generate a challenge and to supply the challenge to the first further hardware module via the first communication path or via the shared communication infrastructure using encryption set up using the first communication path (For example see col. 6, lines 26-39; wherein, in order to access the system, the user from the

Art Unit: 2661

workstation has to authenticated himself to the secure subsystem, where the "challenge" from the subsystem such as the login window is obvious and well known in the art); and wherein, in response to the challenge, the first further hardware module is operable to generate a response and to supply the response the trusted hardware module via the first communication path the shared communication infrastructure using encryption set up using the first communication path (For example see col. 6, lines 26-39; wherein the user provides the personal identification number 'PIN', password, biometric or token device to authenticate himself to the subsystem in order to access the secure system). Though, **Boebert** does not explicitly disclose about "integrity metric"; however, it is obvious that information such as personal identification number 'PIN', password, biometric or token device are used to authenticate the user to the secure subsystem and are the "integrity metric", which create and store by the trusted system, in order to provide classified information of varying sensitivity and different levels of users access right for different user.

Page 7

Thus it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the implementation "integrity metric" into the Boebert's trusted subsystem, with the motivation being to provide classified information of varying sensitivity and different levels of users access right for different user.

- In regard to claims 9-12 and 29, in addition to features in base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), **Boebert** does discloses about the trusted ("zone for private data") and untrusted subsystem ("zone for non-private data") in the multi-level secure computer (For example see Figs. 1-2); and wherein the workstation has

different levels of security (For example see col. 6, line 60 through col. 7, line 12) and different paths ("network interface module"; For example see Figs. 3-4) for receiving/transmitting data on normal mode, e.g. "non-private data" or non-secure, and trusted path mode, e.g. "private data" or secure (For example see Figs. 3-4); but fails to explicitly disclose about the different zones for receiving/transmitting data on normal mode and trusted path mode. However, it is obvious that configuring different "zones" for "private data" and "non-private data" is just system engineering choices to provide secure on transmitting or receiving data from different zones with different levels of security.

Thus it would have been obvious to the person of ordinary skill in the art at the time of the invention was made to combine the implementation the different zones for different levels of security for the **Boebert**'s secure system, in order to provide secure on transmitting or receiving data from different zones with different levels of security.

- Regarding claims 14-16, in addition to features in base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), **Boebert** does discloses wherein the first further hardware module is operable to supply to the trusted hardware module a request for a transfer of data between the first and second further hardware modules ("trusted path mode"; For example see col. 5, lines 17-32; wherein the workstation invokes trusted path mode through different number of ways as disclosed in col. 5, line 66 through col. 6, line 10; e.g. 'request for a transfer of data') and in response to such a request, the trusted hardware module is operable to generate a response ("feedback mechanism"; For example see col. 6, lines 8-10) and to supply the response to the first or second further hardware module via the first or second

Page 9

Art Unit: 2661

lines 34-39).

communication path, not via the shared communication infrastructure (For example see Figs. 3-4; col. 5, lines 27-32); including the storage device ('means for storing') and the capable of recognizing classified information of varying sensitivity and different levels of users access of the multi-level secure computer (For example see Figs. 1-2; col. 1, lines 20-27; col. 2, lines 15-25; col. 7, lines 27-44). Though, **Boebert** does not explicitly disclose about "policy information" as claimed in the claim invention 15; however, in order to recognizing classified information of varying sensitivity and different levels of users access, the multi-level secure 'MLS' computer (see Figs. 1-2) has to store information about different levels to access to the secure subsystem, e.g. "policy information", to provide the access right to users; and wherein the trusted hardware module is operable to relay the data to the second or first further hardware module via the second or first communication path as claimed in the claim invention 16 (For example see col. 6,

- In regard to claims 17 and 19, in addition to features in base claim 1 (see rationales pertaining the rejection of base claim 1 discussed above), **Boebert** further discloses about the processor ("main processor"; For example see Figs. 3-5; col. 8, lines 39-44) and video RAM in the video manager ("non-volatile data storage module"; For example see Fig. 5; col. 8, lines 51-63).

Response to Amendment/Arguments

7. Applicant's arguments filed on September 27th, 2005 have been fully considered but they are not persuasive.

In regard to claim 1 and 21, Applicant argues that **Boebert** fails to disclose, "a shared communications infrastructure by which the hardware modules can communicate with each other". Examiner respectfully disagrees. In Figure 2 (or in figure 1), **Boebert** clearly discloses the connection between the workstation processing unit 40 to the multilevel secure computer 60, through the network 50, which is the shared communications connection where the hardware modules such as display, keyboard, workstation processing unit, ... can communicate to the trusted and untrusted subsystem of the multilevel secure computer, e.g. "a shared communications infrastructure by which the hardware modules can communicate with each other". Therefore, Examiner concludes that **Boebert** teaches the arguable feature.

Claims 2-20 and 22-30 are rejected as in Part 4 and 6 above of this Office action and by virtue of their dependence from claims 1 and 21.

Conclusion

8. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tri H. Phan, whose telephone number is (571) 272-3074. The examiner can normally be reached on M-F (8:00-4:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chau T. Nguyen can be reached on (571) 272-3126.

Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300

Hand-delivered responses should be brought to Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 Customer Service Office, whose telephone number is (571) 272-2600.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Application/Control Number: 09/913,453 Page 12

Art Unit: 2661

applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

BRIAN NGUYEN PRIMARY EXAMINER

Tri H. Phan December 12, 2005